

# TruTile™ Designs

ACOUSTIC WALL TILE

**MIDDLE ATLANTIC**  
A brand of **Legrand**




Wide Rule & Wide Arc new deco pattern



Double Arc Pattern




Pattern detail




Solid colors

## DESIGNS (8% scale)




**Wide Rule**  
(Berry)



**Wide Slant**  
(Slate)



**Wide Arc**  
(Blush)




**Double Arc**  
(Seafoam)

## FEATURES


9mm thick, 2' x 2' square sound absorbing wall tiles available in 4 designs or solid panels that can be arranged to create a myriad of unique patterns.

Wide range of color options provides design flexibility and personalization for any project.

## DIMENSIONAL DATA




2' x 2' Tile




**Wide Rule & Wide Arc**  
new deco pattern


**PATTERN INSPIRATIONS**




Wide Arc vertical pattern




Wide Arc weave pattern




Wide Slant & Wide Rule stripe pattern




Wide Slant pinwheel pattern




Double Arc organic pattern




Double Arc infinity pattern



Double Arc circles pattern



Double Arc vertical pattern



**ORDERING**

**Series**  
TruTile **AUTT**

**Size**  
2' x 2' panel **22**

**Shape**  
Square **SQ**

**Design**  
Wide Rule **WRL**  
Wide Arc **WAC**  
Wide Slant **WST**  
Double Arc **DAC**  
Solid **SD**

**Mounting**  
Surface Mount by others **SM**  
(Construction glue direct to surface recommended)

**Acoustic Tile Color**  
See page 3 for color offering

**SPECIFICATIONS**

**Acoustic Material**

<b>Content</b>	Material is 100% polyester containing up to 50% of recycled plastic bottles (PET felt) and is moisture resistant.  See Acoustic Materials page for color offering. Colors are subject to change without notice. For the most current color options, please visit <a href="https://www.legrandav.com/resources/360_product_overviews/acoustic-systems">https://www.legrandav.com/resources/360_product_overviews/acoustic-systems</a> Lead times vary depending on color.
<b>Cleaning and Care</b>	Remove dust and debris with a clean, soft, lint-free cloth or vacuum
<b>PET Thickness</b>	9mm
<b>Surface Burning Characteristics</b>	ASTM E84 Class A / CAN ULC S102 Flame Spread: 0 Smoke Development Index: 300

**Acoustic Performance**

Acoustic testing is performed on all acoustic products and varies based on installation and configuration. ASTM C423 test reports can be requested from [av.middleatlantic.techsupport@legrand.com](mailto:av.middleatlantic.techsupport@legrand.com). Contact [av.middleatlantic.techsupport@legrand.com](mailto:av.middleatlantic.techsupport@legrand.com) for technical questions.

<b>NRC</b>	Noise Reduction Coefficient (NRC) is the average of how absorptive a material is at various frequencies within the human speech frequency range. Two materials with the same rating may not perform the same in application. Typically, an NRC of 0 indicates perfect reflection, and an NRC of 1 is designated as perfect absorption. However, based on the testing methodology and depending upon the material's shape or surface area products can test at an NRC greater than 1.  NRC = 0.30
------------	--

**Weight**

1.8 lbs per tile. Ships up to (12) twelve per box = 25.25" x 25.25" x 5"

**Reliability**

Our products are designed to stand the test of time. Each product is engineered using superior components, manufactured with the utmost care and rigorously tested.


**Warranty**

1-year limited warranty.

**STANDARD PET**



**PREMIUM PET**



**PET**  
**Focal Point, LLC**

Final Assembly: Chicago, Illinois, USA  
 Life Expectancy: 30 Year(s)  
 End of Life Options: Salvageable/Reusable in its Entirety, Recyclable (100%)

**Ingredients:**

**Polyethylene terephthalate:** PET; **N, N'-Ethylene bisstearamide:** Octadecanamide, N,N'-1,2-ethanediylbis-; **Stearic Acid;** Stearic Acid; **Antioxidant 1076:** Benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, octadecyl ester; **Antioxidant KY-405:** Benzenamine, 4-(1-methyl-1-phenylethyl) -N-[4-(1-methyl-1-phenylethyl)phenyl]; **Titanium Dioxide:** Titanium dioxide

**Living Building Challenge Criteria:**

**I-13 Red List:**  
 ■ LBC Red List Free % Disclosed: 100% at 100ppm  
 □ LBC Red List Approved VOC Content: Not Applicable  
 □ Declared

**I-10 Interior Performance:** Not Compliant  
**I-14 Responsible Sourcing:** Not Applicable

FPL-0001  
 EXP. 01 APR 2025  
 Original Issue Date: 2020

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY  
 INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare

USA 866.977.3901 av.support@legrand.com  
 CANADA 877.345.4329 av.support@legrand.com  
 EMEA +31 495 580 840 av.emea.sales@legrand.com  
 APAC +852 2145 4099 av.asia.sales@legrand.com

**C2G | CHIEF | DA-LITE | LUXUL | MIDDLE ATLANTIC | VADDIO | WIREMOLD**

**MIDDLE ATLANTIC**  
 A brand of **legrand**

©2024 Legrand | AV Inc. 240395 Rev B 9/24 Middle Atlantic is a registered trademarks of Legrand | AV Inc. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All patents are protected under existing designations. Other patents pending.