

LILIN

E Series Range

LILIN





	E5R4052A	E5R4152AX	E5R9152A	E5R9252AX
Type	Turret		Bullet	
Resolution	5MP (2592x1944)			
FPS at Max Resolution	20FPS			
Lens	3.6mm	2.8-12mm	3.6mm	2.8-12mm
Max IR Distance	30M	45M	30M	45M
PoE/Voltage	PoE, 12Vdc			
Audio	Built in Microphone	2 Way Audio Path	Built in Microphone	2 Way Audio Path
IP Rating	IP66 (External)			
Compression	H.264 / H.265			
Other	Micro SD	Micro SD	Micro SD	Micro SD, DI/DO



	EVR3104E	EVR3108E	EVR3116E
Channels	4 Channel	8 Channel	16 Channel
Resolution	4K / 5M / 4M / 3M / 1080P / 1.3M / 1M / 960H / D1 / VGA / CIF		
Encoding	H.264 / H.265		
FPS	120FPS	240FPS	480FPS
Throughput	32Mbps	64Mbps	96Mbps
PoE	4 x POE802.3AF, 11W per port.	8 x POE802.3AF, 11W per port.	16 x POE802.3AF, 11W per port.
Internal HDD Capacity	1 x HDD, up to 10TB		
Output	4K HDMI (1.4) and VGA mirrored output.		